

CLAIMS

What is claimed is:

1. A method for eliciting a T-cell mediated immune response in an animal, comprising administering to the animal a quantity of a composition including an extract of an egg obtained from a nonmammalian source animal, said extract comprising transfer factor generated by said source animal in a T-cell mediated immune response to at least one antigenic agent.
2. The method of claim 1, wherein said administering comprises administering to the animal a quantity of said composition with said extract comprising transfer factor molecules having molecular weights of about 4,000 Da to about 5,000 Da.
3. The method of claim 1, wherein said administering is effected orally.
4. The method of claim 1, wherein said administering is effected nasally.
5. The method of claim 1, wherein said administering is effected parenterally.
6. The method of claim 1, wherein said administering is effected topically.
7. The method of claim 1, wherein said administering comprises preventing the animal from exhibiting a disease state associated with infection by a pathogen.
8. The method of claim 7, wherein said administering is effected before the animal is exposed to said pathogen.
9. The method of claim 7, wherein said administering is effected after the animal has been exposed to said pathogen.

10. The method of claim 7, wherein said administering also comprises administering to the animal said composition with said transfer factor comprising transfer factor molecules specific for at least one antigen of said pathogen.

~~11. The method of claim 1, wherein said administering comprising treating a disease state associated with infection by a pathogen.~~

12. The method of claim 11, wherein said administering also comprises administering to the animal said composition with said transfer factor comprising transfer factor molecules specific for at least one antigen of said pathogen.

~~13. The method of claim 1, wherein said administering comprises administering to the animal said composition with said transfer factor comprising transfer factor molecules specific for at least one antigen of said pathogen.~~

14. The method of claim 1, wherein said administering comprises administering to the animal said composition with said transfer factor comprising transfer factor molecules specific for at least one antigen of at least one of Newcastle Virus, rubeola virus, mumps virus, rubella virus, Epstein-Barr Virus, hepatitis B virus, and *H. pylori*.

15. The method of claim 1, wherein said administering comprises administering said composition to a mammal.

16. The method of claim 1, wherein said administering comprises administering to the animal said composition with said egg extract comprising an extract of an avian egg.

17. The method of claim 1, wherein said administering comprises administering to the animal said composition with said egg extract comprising an extract of a non-avian egg.

